



1. 部位別登録件数

	2014年			2015年		
	男性	女性	全体	男性	女性	全体
口腔・咽頭	38	21	59	43	31	74
食道	36	4	40	39	4	43
胃	147	75	222	137	52	189
結腸	75	66	141	78	54	132
直腸	49	19	68	53	26	79
(大腸)	124	85	209	131	80	211
肝臓	18	5	23	20	11	31
胆嚢・胆管	11	9	20	17	12	29
膵臓	21	17	38	33	14	47
喉頭	21	1	22	30	1	31
肺	186	52	238	174	76	250
骨軟部	2	1	3	1	1	2
皮膚	29	47	76	40	29	69
乳房	3	147	150	0	153	153
子宮頸部	—	90	90	—	80	80
子宮体部	—	45	45	—	38	38
子宮	—	0	0	—	0	0
卵巣	—	30	30	—	29	29
前立腺	110	—	110	137	—	137
膀胱	55	14	69	48	15	63
腎尿路	39	9	48	30	15	45
脳神経	9	20	29	12	27	39
甲状腺	13	26	39	9	16	25
悪性リンパ腫	36	31	67	43	30	73
多発性骨髄腫	8	8	16	11	7	18
白血病	14	13	27	17	10	27
他の血液	13	5	18	19	5	24
その他	24	28	52	28	19	47
合計	957	783	1,740	1,019	755	1,774

※大腸は、結腸と直腸の合計

部位別登録件数グラフ



※大腸は、結腸と直腸の合計







2. 部位別登録割合

	2014年			2015年		
	男性	女性	全体	男性	女性	全体
口腔・咽頭	4.0%	2.7%	3.4%	4.2%	4.1%	4.2%
食道	3.8%	0.5%	2.3%	3.8%	0.5%	2.4%
胃	15.4%	9.6%	12.8%	13.4%	6.9%	10.7%
結腸	7.8%	8.4%	8.1%	7.7%	7.2%	7.4%
直腸	5.1%	2.4%	3.9%	5.2%	3.4%	4.5%
(大腸)	13.0%	10.9%	12.0%	12.9%	10.6%	11.9%
肝臓	1.9%	0.6%	1.3%	2.0%	1.5%	1.7%
胆嚢・胆管	1.1%	1.1%	1.1%	1.7%	1.6%	1.6%
膵臓	2.2%	2.2%	2.2%	3.2%	1.9%	2.6%
喉頭	2.2%	0%	1.3%	2.9%	0.1%	1.7%
肺	19.4%	6.6%	13.7%	17.1%	10.1%	14.1%
骨軟部	0.2%	0.1%	0.2%	0.1%	0.1%	0.1%
皮膚	3.0%	6.0%	4.4%	3.9%	3.8%	3.9%
乳房	0.3%	18.8%	8.6%	0.0%	20.3%	8.6%
子宮頸部	—	11.5%	5.2%	—	10.6%	4.5%
子宮体部	—	5.7%	2.6%	—	5.0%	2.1%
子宮	—	0%	0%	—	0%	0%
卵巣	—	3.8%	1.7%	—	3.8%	1.6%
前立腺	11.5%	—	6.3%	13.4%	—	7.7%
膀胱	5.7%	1.8%	4.0%	4.7%	2.0%	3.6%
腎尿路	4.1%	1.1%	2.8%	2.9%	2.0%	2.5%
脳神経	0.9%	2.6%	1.7%	1.2%	3.6%	2.2%
甲状腺	1.4%	3.3%	2.2%	0.9%	2.1%	1.4%
悪性リンパ腫	3.8%	4.0%	3.9%	4.2%	4.0%	4.1%
多発性骨髄腫	0.8%	1.0%	0.9%	1.1%	0.9%	1.0%
白血病	1.5%	1.7%	1.6%	1.7%	1.3%	1.5%
他の血液	1.4%	0.6%	1.0%	1.9%	0.7%	1.4%
その他	2.5%	3.6%	3.0%	2.7%	2.5%	2.6%
合計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

※大腸は、結腸と直腸の合計

3. 【5大がん】UICC-TNM分類 治療前ステージ ・ 部位別ステージ別治療法

2014年



3. 【5大がん】UICC-TNM分類 治療前ステージ ・ 部位別ステージ別治療法

2015年

